

Product overview (CE)

		SF	Store Flex
		MS	Multisite
Software services		SF	MS
SW913705110001	Multisite Manager standard – 1yr	○	●
SW913705110005	Multisite Manager emergency add-on – 1yr	○	●
SW913705110006	Multisite Manager value pack – 7yrs	○	●
SW913705110004	Multisite connectivity EU/US – 1yr	○	●
SRV2374/SRV2375	Multisite remote operations service	○	●
Connectivity device		SF	MS
9137 010 58503	LCN5320/00 Indoor 4G router eSIM EU/META (required for Multisite connectivity)	○	●
9137 010 59603	LCN5323/00 12V DC PSU Indoor 4G Router (required for Indoor 4G router)	○	●
Network devices, controllers, sensors, and user interfaces			
Network devices		SF	MS
9137 033 71509	PDDEG-S Ethernet Gateway	●	●
9137 030 13809	PDEG Ethernet Gateway	●	○
9137 030 92309	PDTS Philips Dynalite Touch Screen	●	○
9137 033 72109	PDZG-E Wireless Gateway	●	○
Controllers		SF	MS
9137 033 72009	DDBC1200-v4 Signal Dimmer Controller	●	●
9137 032 44609	DDRC420FR v2 Relay Controller	●	●
9137 032 43009	DDRC1220FR-GL v3 Relay Controller	●	●
9137 030 79709	DDBC320-DALI DALI-2 Driver Controller	●	●
9137 036 85109	DDBC120-DALI DALI-2 Driver Controller	●	●
9137 030 81109	DDMIDC8 Low Level Input Integrator	●	●
9137 033 66709	DDNG485 DMX controller	●	●
9137 030 90309	DDNP1501 12V power supply	●	●

● Required | ● Optional/Selectable | ○ Not applicable

Sensors		SF	MS
9137 036 89609	DUS360CR Multifunctional Ceiling Recessed Mount Sensor	●	●
9137 030 29309	DUS360CR-DA Multifunctional Ceiling Recessed Mount Sensor with DIP switch configuration	●	●
9137 032 43109	DUS360CS Multifunctional Ceiling Surface Mount Sensor	●	●
9137 032 44209	DUS90CS Multifunctional Wall/Ceiling Surface Mount Sensor	●	●
9137 032 44309	DUS30CS Multifunctional Wall/Ceiling Surface Mount Sensor	●	●
9137 032 13009	DUS360CR-DALI Multifunctional Ceiling Recessed Mount Sensor (DALI)	●	●
9137 030 23909	DUS360CS-DALI Multifunctional Ceiling Surface Mount Sensor (DALI)	●	●
Luminaire controllers		SF	MS
9137 010 66203	DALI Extender	●	○
9290 015 46406	Xitanium SR Bridge Built-in	●	○
9290 015 46506	Xitanium SR Bridge Independent	●	○
User interfaces		SF	MS
9137 030 92309	PDTs Philips Dynalite Touch Screen	●	●
9137 039 70707	DACMv2 Dynet Antumbra Communication Module	●	●
Per configuration	PABPE Philips Antumbra Button Panel EU	●	●
Per configuration	PATPE Philips Antumbra Touch Panel EU	●	●
Per configuration	PADPE Philips Antumbra Display Panel EU	●	●

● Required | ● Optional/Selectable | ○ Not applicable

Energy metering

Controllers

		SF	MS
9137 030 13809	PDEG Ethernet Gateway	<input type="radio"/>	<input checked="" type="radio"/>
9137 032 40009	PDEB Ethernet Bridge	<input type="radio"/>	<input checked="" type="radio"/>
9137 033 66709	DDNG485 DMX controller	<input type="radio"/>	<input checked="" type="radio"/>

Tested meters

		SF	MS
ABB	ABB A41/A42	<input type="radio"/>	<input checked="" type="radio"/>
	ABB A42	<input type="radio"/>	<input checked="" type="radio"/>
	ABB B23	<input type="radio"/>	<input checked="" type="radio"/>
Carel	CareleMeter1	<input type="radio"/>	<input checked="" type="radio"/>
	CareleMeter3 SE	<input type="radio"/>	<input checked="" type="radio"/>
Circuitor	Circuitor-CVM C10	<input type="radio"/>	<input checked="" type="radio"/>
ELNet	ELNetLT	<input type="radio"/>	<input checked="" type="radio"/>
	ELNetLT TCP	<input type="radio"/>	<input checked="" type="radio"/>
Siemens	7KMPAC2200	<input type="radio"/>	<input checked="" type="radio"/>

● Required | ● Optional/Selectable | ○ Not applicable

Luminaires**Linear**

DN570Bi	LuxSpace 2 Compact
DN572Bi	LuxSpace 2 Square
GD301Bi	GreenSpace Accent Gridlight
GD601Bi	Storeflux 3
LL120Xi	CoreLine Trunking
RC300Bi	Maxos LED Recessed
RC460BN	PowerBalance Square
RC460BP	PowerBalance G2 Rectangular
RC530Bi	TrueLine Recessed

Spots

RS340Bi	GreenSpace Accent
RS530Bi	LuxSpace Accent 2
SM460Vi	PowerBalance Surface mounted
SM530Ci	TrueLine surface/suspended
ST320Ti	GreenSpace Accent Projector
ST440Ti	EcoStyle

Downlights

ST530Ti	Stylid 2
ST641Ti	ProAir 2
WT460Ci	Pacific LED
LL500Xi	Maxos fusion
4MX850i	Maxos LED
4MX900i	Maxos LED Performer

Wireless

WIA luminaires	Interact Ready
----------------	--------------------------------

Emergency luminaires

Integral luminaires

[Coreline downlight](#)

[GreenSpace downlight](#)

[LuxSpace downlight](#)

[Coreline surm mounted](#)

[TrueLine surface/suspended](#)

[Coreline wallmounted](#)

[Coreline panel](#)

[Coreline recessed](#)

[FlexBlend recessed](#)

[SlimBlend recessed](#)

[PowerBalance recessed](#)

[TrueBlend recessed](#)

[Coreline batten](#)

[Coreline waterproof](#)

[PacificLED G5 waterproof](#)

[GentleSpace G4 highbay](#)

[Maxos fusion trunking](#)

Standalone luminaires

EM150B [Recessed spot](#)

EM151B [EM downlight](#)

EM152C [Surface mounted](#)

EM156C [Surface mounted](#)

Exit signs

EM153C [Bulkhead](#)

EM154C HO [Bulkhead](#)

EM164C [Twin spot](#)

EM155C [Exit signs](#)

EM159C [Exit signs](#)